



PRECISION SERIES®

SpeedVac® Feed Table




U.S.A.

ISO 9001:2015 Certified
(Quality Management System)

All Braun Products are Proudly
Manufactured in the U.S.A.

gabraun.com

SPEEDVAC® FEED TABLE



**SpeedVac®
Feed Table**
*Accurate and
highly efficient
processing*

A versatile performer, the Braun SpeedVac® Feed Table accurately processes a wide range of goods – from small flatwork pieces such as napkins, pillow cases and table linens, to California king sheets – with dependable, repeatable quality.

The inverter-driven feed deck is easy to operate and offers variable range speed control to ensure the pieces are taut and aligned for a positive leading edge. The adjustable laser lane indicators provide visual piece positioning.

The Braun SpeedVac® Feed Table assists feeding on both the table top and the trailing edge, without cumbersome pressure wheels. And with the vacuum flow equally distributed across the width of the table, different size goods may be processed with non-lane dependent feeding.

An adjustable discharge conveyor meets the requirements of different height ironers, and a built in-work light allows for enhanced real-time quality control inspection.

Easy-to-clean two stage lint filters ensure minimal exhaust restriction.

Also available with optional digital production counter for each of the feed lanes to easily monitor processing efficiency.

REAR COVERS

Rear covers are easily removable should you need to access the blowers.



LASER LANE INDICATORS



POWER PANEL

Easy to access and operate!



VARIABLE RANGE SPEED CONTROL



The inverter-driven feed deck is easy to operate and offers variable range speed control to ensure the pieces are taught and aligned for a positive leading edge.

ROUTINE MAINTENANCE

The routine maintenance schedule is clearly posted on the machine to help operators improve the life of the equipment and to minimize unplanned maintenance activity

MAINTENANCE SCHEDULE			
CHECK AND/OR INSPECT	WEEKLY	MONTHLY	6 MONTHS
CLEAN PHOTOCELLS & REFLECTORS	●		
BLOW OUT LINT FROM MOTORS & END FRAMES	●		
OIL ALL ROD ENDS & AIR CYLINDER PIVOTS		●	
OIL AIR CYLINDER SHAFTS		●	
INSPECT BELTS FOR ALIGNMENT & TENSION		●	
INSPECT CHAINS FOR TENSION & LUBRICATION		●	
INSPECT ALL BUMPERS		●	
INSPECT ALL SPROCKETS			●
CHECK SAFETY SWITCHES FOR OPERATION	●		
GREASE BEARINGS			●

STANDARD FEATURES

- Vacuum assist feeding of small and large pieces to an ironer
- Adjustable laser lane indicators to provide repeatable guides for hand feeding
- Simple lint collection bags mounted above each side panel
- Programmable inverter-type variable speed conveyor drive with digital speed indicator
- Fluorescent-lit feed deck
- Caster-mounted for easy movement
- Illuminated Emergency Stop
- 130" working width
- Standard voltages: 208, 240, 480 volt, 3 phase, 60 cycle
- Variable speed blower control for easy adjustment of vacuum air flow
- Door alarm indicators
(Available with optional 120" working width for 4 or 5 lane processing)

SPECIFICATIONS

	Receive Unit	Dimensions	Dimensions	Weight
SpeedVac®	45" (w) x 72" (h)	146" (l) x 51" (w) x 92" (h)	152" (l) x 52" (w) x 82" (h)	2000 lbs
Feed Table	1145mm (w) x 1830mm (h)	3710mm (l) x 1295mm (w) x 2335mm (h)	3860mm (l) x 1320mm (w) x 2085mm (h)	910 Kg

Note: Specifications subject to change without notice

For reliability, performance and a better finished product, rely on the Braun SpeedVac® Feed Table.



ISO 9001:2015 CERTIFIED
(Quality Management System)

G.A. Braun, Inc.
79 General Irwin Boulevard
N. Syracuse, NY 13212

Mail to:
P.O. Box 3029
Syracuse, NY 13220-3029

Phone
1-800-432-7286

Fax
(315) 475-4130

Parts Help Desk
1-800-432-7286 X 1

Service Help Desk
1-800-432-7286 X 2



U.S.A.

All Braun Products are Proudly
Manufactured in the U.S.A.